

### DOGGETT FREIGHTLINER OF SOUTH TEXAS LLC - AUSTIN

1701 Smith Rd. Austin, Texas 78721 Bus: 512-389-0000 Fax: 512-389-2663 INV #: DATE: 8/29/2024 INVOICE / BUYER'S ORDER

	ISON COUNTY FLEET	SVCS			TELEPHONE 512-966-4839	
ADDRESS		0.00		CITY	STATE	ZIP CODE
	INNER LOOP STE B			GEORGETOWN	ТХ	78626
rear 2026	FREIGHTLINER	MODEL/BODY 114SD / LEDWELL 4		TBD		LICENSE PLATE
	MENTARY FEE IS NO			עסו		
	DOCUMENTARY FEE		MILEAGE:			
	ED BY LAW, BUT MA		TI	PS CONTRACT 230	-802	
	ER FOR HANDLING D			0 001111/01 200	002	
	NG TO THE SALE. A D					
	Y NOT EXCEED A REA		FREIGHTI IN	IER 114SD DAYCA	B BASE PRICE	\$128,455.0
	T AGREED TO BY TH			OPTION CONTEN		\$21,704.0
	TICE IS REQUIRED E		*	dentical to unit NA6		¢= 1,1 0 110
	O DOCUMENTAL NO	1		II 4k SS Water Tank		\$62,185.3
	L. LA LEYNO EXIGU		Loand	per attached spec		<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>
	GO DOCUMENTAL. P				5	
	COBRARSE A LOS C		EW4 Exten	ded Engine Coverag	ie 5vr/200k mi	\$3,740.0
	MANEJO DE LA DOC			1 1 yr / unlimited mi		Include
	ACION CON LE VENT			, <u>, , , , , , , , , , , , , , , , , , </u>		
DOCMEN	NTAL NO PUEDI EXCI	EDER UNA				
CANIDA	D PAZONABLE ACOR	DADA POR				
	RTES. ESTA NOTIFIC	ACION SE				
	POR LA LEY.		Prici	ng is for CY25/MY26 Pro	duction	
	COF WARRANTIES CKNOWledges and agrees that Dea	aler did not manufacture and				
	akes no implied or express warra					
urchased Ur	nit(s) and any service work or m	ake-ready work shall not				
reate any w	varranty of any nature whatsoever	er with respect to the				
	nit(s). Additionally, Purchaser a	-				
Jnit(s) and/c	or chassis at Purchaser's own risl	k and hereby releases Dealer,				
• • •	, officers, directors, shareholder					
	successors and assigns, from any					
•	injuries of any nature whatsoeve	er to the full extent permitted				
V law. MILEAGE:						
AILEAGE:	MAKE	MODEL/BODY	VIN			
/ILEAGE: EAR	MAKE	MODEL/BODY				
AILEAGE: EAR AILEAGE:	MAKE MAKE MAKE	MODEL/BODY MODEL/BODY	VIN TRADE-IN VIN			
AILEAGE: EAR AILEAGE:			TRADE-IN			
IILEAGE: EAR IILEAGE: EAR	МАКЕ		TRADE-IN		TOTAL	
MILEAGE: EAR MILEAGE: EAR PAYOFF TO:	МАКЕ		TRADE-IN		(Trade Allowance)	(\$.0
AILEAGE: EAR AILEAGE: EAR PAYOFF TO: ADDRESS:	MAKE :	MODEL/BODY	TRADE-IN		(Trade Allowance) TRADING DIFFERENCE	(\$.0) \$216,084.3
AILEAGE: EAR AILEAGE: EAR PAYOFF TO: IDDRESS: TELEPHONI	маке : : !E:		TRADE-IN		(Trade Allowance) TRADING DIFFERENCE SALES TAX	(\$.0) \$216,084.3 \$0.0
ALLEAGE: EAR ALLEAGE: EAR ALLEAGE: EAR ALLEAGE:	MAKE MAKE : : IE: IL:	MODEL/BODY	TRADE-IN		(Trade Allowance) TRADING DIFFERENCE	(\$.0 \$216,084.3 \$0.0 \$0.0
MILEAGE: EAR MILEAGE: EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNT	MAKE MAKE IE: III.:	MODEL/BODY	TRADE-IN		(Trade Allowance) TRADING DIFFERENCE SALES TAX	(\$.0 \$216,084.3 \$0.0 \$0.0 \$0.0
MILEAGE: EAR PAYOFF TO: ADDRESS: ELEPHON GOOD UNT QUOTED B	MAKE MAKE IE: IL: Y:	MODEL/BODY	TRADE-IN	Body Type:	(Trade Allowance) TRADING DIFFERENCE SALES TAX DEALER'S INVENTORY TAX	(\$.00 \$216,084.3 \$0.0 \$0.0 \$0.0 <b>\$0.0</b> <b>\$0.0</b>
MILEAGE: (EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNT QUOTED BY SHOW LIEN	маке : : : : : : : : : : : : : : : : : : :	MODEL/BODY	TRADE-IN	Body Type: License Wt.:	(Trade Allowance) TRADING DIFFERENCE SALES TAX DEALER'S INVENTORY TAX LICENSE FEE	(\$.00 \$216,084.3 \$0.0 \$0.0 \$0.0 <b>\$0.0</b> <b>\$0.0</b>
MILEAGE: "EAR MILEAGE: "EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNT QUOTED BY SHOW LIEN	маке : : : : : : : : : : : : : : : : : : :	MODEL/BODY	TRADE-IN		(Trade Allowance) TRADING DIFFERENCE SALES TAX DEALER'S INVENTORY TAX LICENSE FEE DOCUMENTARY FEE	\$0.0 \$0.0 <b>\$0.0</b>
MILEAGE: "EAR MILEAGE: "EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNTI QUOTED BY SHOW LIEN ADDRESS:	маке : : : : : : : : : : : : : : : : : : :	MODEL/BODY	TRADE-IN	License Wt.:	(Trade Allowance)         TRADING DIFFERENCE         SALES TAX         DEALER'S INVENTORY TAX         LICENSE FEE         DOCUMENTARY FEE         FEDERAL EXCISE TAX	(\$.00 \$216,084.3 \$0.0 \$0.0 \$0.0 <b>\$0.0</b> <b>\$0.0</b> \$0.0 \$0.0 \$216,084.3
MILEAGE: "EAR MILEAGE: "EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNTI QUOTED BY SHOW LIEN ADDRESS: DATED:	маке : : IE: TL: Y: N TO:	MODEL/BODY FAX:	TRADE-IN	License Wt.: State Insp.:	(Trade Allowance)         TRADING DIFFERENCE         SALES TAX         DEALER'S INVENTORY TAX         LICENSE FEE         DOCUMENTARY FEE         FEDERAL EXCISE TAX         TOTAL SALE PRICE	(\$.00 \$216,084.3 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$216,084.3 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$0
DV Jaw MILEAGE: /EAR MILEAGE: /EAR PAYOFF TO: ADDRESS: TELEPHONI GOOD UNTI QUOTED BY SHOW LIEN ADDRESS: DATED: DATED: DRAFT FOR DRAFT THR	MAKE 	MODEL/BODY FAX:	TRADE-IN	License Wt.: State Insp.: License:	(Trade Allowance)         TRADING DIFFERENCE         SALES TAX         DEALER'S INVENTORY TAX         LICENSE FEE         DOCUMENTARY FEE         FEDERAL EXCISE TAX         TOTAL SALE PRICE         PAYOFF ON TRADE	(\$.00 \$216,084.3 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$0.0 \$216,084.3 \$0.0 \$0.0 \$216,084.3 \$0.0 \$0.0 \$0.0

county tax assessor-collector, is not a tax imposed on a consumer by the government, and is not required to be charged by the dealer to the consumer.


shall be the final, complete, and exclusive agreement between the parties and may not be modified, amended, supplemented, explained, or waived by parol evidence. Purchaser's purchase order, a course of dealings, custom or trade usage, prior representations, Dealer's performance or delivery, Dealer's catalogs, circulars or other promotional material, or in any other way except in writing signed by Dealer's Authorized Representative. Dealer's Authorized Representative. Dealer's Authorized Representative shall mean Dealer's Vice-President, General Coursel, Chief Financial Officer, or President.

2.Purchaser agrees to complete one of the following, and agrees that despite delivery of the Purchased Unit(s) to Purchaser, title to the Purchased Unit(s) shall remain with Dealer until Purchaser completes one of the following: (1) pay the balance due, as shown on this Order, in cash or (2) execute a Time Sales Agreement (Retail Installment Contract), or (3) execute a Loan Agreement for the purchase price of the Purchased Unit(s) plus additional charges shown herein, or (4) execute a lease agreement, on or before delivery of the Purchased Unit(s). Purchaser and Dealer agree that this Order is not a security agreement and that delivery of the Purchased Unit(s) to the Purchaser pursuant to this Order will not constitute possession of the Purchased Unit(s) by the Purchaser, as a debtor, for the purchase money security provisions in any statutes relating to personal property security or its equivalent. Purchaser understands that its rights in connection with this purchaser are limited as set forth in this Order.

3.Manufacturer has reserved the right to change the price to Dealer of new motor vehicles without notice. In the event the price to Dealer of new motor vehicles of the series and body type ordered hereunder is changed by Manufacturer prior to delivery of the Purchased Unit(s) ordered hereunder to Purchaser, Dealer reserves the right to change the cash delivered price (or any other pricing) of such motor vehicle to Purchaser accordingly. If such cash delivered price (or any other pricing) is increased by Dealer by five percent (5%) or more, Purchaser's sole remedy is to cancel this Order, in which event if a used motor vehicle has been traded in as a part of the consideration for such new Purchased Unit(s), such used motor vehicle shall be returned to Purchaser upon payment by Purchaser to Dealer of all storage and repair cost incurred or, if such used motor vehicle has been previously sold by Dealer, the amount received for such sale by Dealer, less a selling commission of 15% and any cost or expense incurred in storing, repairing, insuring, conditioning or advertising said used motor vehicle for sale, shall be returned to Purchaser. Purchaser waives all other claims for any damages resulting from a manufacture's change in pricing and/or a related cancellation.

# SPECIFICATION PROPOSAL

SD PRL-29D (EFF:MY26 ORDERS) SPECPRO21 DATA RELEASE VER 006 Ation 114SD PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR REGISTRATION IN EPA OR ACT STATES - EPA
SPECPRO21 DATA RELEASE VER 006 ation 114SD PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
Ation 114SD PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
Ation 114SD PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
114SD PLUS CONVENTIONAL CHASSIS 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
LH PRIMARY STEERING LOCATION TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR
CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)
UTILITY/REPAIR/MAINTENANCE SERVICE
GOVERNMENT BUSINESS SEGMENT
LIQUID BULK COMMODITY
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
MAXIMUM 8% EXPECTED GRADE
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
FREIGHTLINER LEVEL II WARRANTY
EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs





Data C	ode Description	
AA3-00	3 TANK BODY	
AF3-20	7 NIECE EQUI	PMENT
AF7-99		BODY/PAYLOAD CG HEIGHT ABOVE INCHES: 32.0 in
Engine		
101-3F		013 GEN 5 12.8L 410 HP @ 1625 GOV RPM, 1650 LB-FT @ 975 RPM
Electronic Pa	rameters	
79A-07	2 72 MPH ROA	AD SPEED LIMIT
79B-00	0 CRUISE CON SPEED LIMI	NTROL SPEED LIMIT SAME AS ROAD T
79F-01	3 FLEET MAN/ ENABLED	AGEMENT - DAILY ENGINE USAGE
79K-01	2 PTO MODE	ENGINE RPM LIMIT - 1500 RPM
79P-03	2 PTO RPM CO SWITCHES	ONTROL WITH STEERING WHEEL
79T-00	1 PTO MODE I	RPM INCREMENT - 25 RPM
79U-00	2 PTO GOVER SECOND	NOR RAMP RATE - 50 RPM PER
79W-0	01 ONE REMOT	TE PTO SPEED
79X-00	5 PTO SPEED	1 SETTING - 900 RPM
80G-00	PTO MINIMU	JM RPM - 600
80L-00	1 ENABLE AU EXTENDED	TO ENGINE RPM ELEVATE FOR IDLE
80S-01	AND INTERL	I SWITCH, TEM SUPPLIED REQUEST OCKS, WITH PTO CONNECTIONS, Y INTERLOCKS
Engine Equip	ment	
99C-02	4 EPA 2010/Gł	HG 2024 CONFIGURATION
13E-00	1 STANDARD	OIL PAN
105-00	1 ENGINE MO	UNTED OIL CHECK AND FILL
01 <b>4</b> -1E	HIGH CAPAC	OD AIR INTAKE WITH DONALDSON CITY AIR CLEANER WITH SAFETY FIREWALL MOUNTED
124-10		AMP 28-SI QUADRAMOUNT PAD DR WITH REMOTE BATTERY VOLT
292-23		NUINE, FLOODED STARTING, MIN 55RC, THREADED STUD BATTERIES
290-01	7 BATTERY BO	OX FRAME MOUNTED
281-00	1 STANDARD	BATTERY JUMPERS



 Data Code	Description
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS
180-1AR	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH WITH PREDAMPER
183-008	TORQUE LIMITING CLUTCH BRAKE
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING
182-005	HYDRAULIC CLUTCH CONTROL
197-046	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-002	JACOBS COMPRESSION BRAKE
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)




Data Code	Description
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
118-001	FULL FLOW OIL FILTER
120-998	NO COOLANT FILTER
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH
Fransmission	
342-419	EATON FULLER FRO-16210C TRANSMISSION
<b>Fransmission Equ</b>	lipment
85T-998	NO AMT HOLD MODE
353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS
347-002	ALUMINUM CLUTCH HOUSING
362-805	CUSTOMER INSTALLED MUNCIE 82 SERIES PTO
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TRANSMISSION
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE
370-002	AIR TO OIL TRANSMISSION COOLER
35T-003	SYNTHETIC TRANSMISSION LUBE





Data Code	Description
400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-004	FRONT DISC BRAKE ROTORS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
539-003	POWER STEERING PUMP
534-003	4 QUART POWER STEERING RESERVOIR
533-001	OIL/AIR POWER STEERING COOLER
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE
Front Suspension	
620-006	20,000# FLAT LEAF FRONT SUSPENSION
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equ	ipment
420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
421-390	3.90 REAR AXLE RATIO
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
386-044	RPL25 MERITOR MAIN DRIVELINE
388-039	RPL20 MERITOR INTERAXLE DRIVELINE
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE
87 <b>A-</b> 017	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF






	Data Carla	Departmention
	Data Code	
	87B-025	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS
		5PMPH OR LESS, DISENGAGE W/IGN OFF
	423-075	BENDIX ADB22X AIR DISC REAR BRAKES
	433-002	NON-ASBESTOS REAR BRAKE LINING
	434-003	STANDARD BRAKE CHAMBER LOCATION
	451-005	REAR DISC BRAKE ROTORS
	425-002	REAR BRAKE DUST SHIELDS
	440-006	REAR OIL SEALS
	426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
Ν	428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS
	41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE
	42T-001	STANDARD REAR AXLE BREATHER(S)
Real	r Suspension	
	622-1CJ	HENDRICKSON RT463 @46,000# REAR SUSPENSION
	621-016	HENDRICKSON RT/RTE - 7.19" SADDLE
	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
	624-009	54 INCH AXLE SPACING
	628-005	STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS
	623-005	FORE/AFT CONTROL RODS
Pus	her / Tag Equip	oment
	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS
Brak	ke System	
	490-100	WABCO 4S/4M ABS
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
	904-001	FIBER BRAID PARKING BRAKE HOSE
	412-001	STANDARD BRAKE SYSTEM VALVES
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
	413-002	STD U.S. FRONT BRAKE VALVE
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
	480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
	470.015	

479-015 AIR DRYER FRAME MOUNTED



Da	ata Code	Description
46	60-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION
47	77-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS
Trailer Co	nnections	
48	81-998	NO TRAILER AIR HOSE
47	76-998	NO AIR HOSE HANGER
31	10-998	NO TRAILER ELECTRICAL CABLE
Wheelbas	e & Frame	
54	45-505	5050MM (199 INCH) WHEELBASE
54	46-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
54	47-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
55	52-035	1725MM (68 INCH) REAR FRAME OVERHANG
55	5W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
A	C8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 133.27 in
A	E8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 130.27 in
A	E4-99D	CALC'D FRAME LENGTH - OVERALL: 296.84 in
FS	SS-0LH	CALCULATED FRAME SPACE LH SIDE : 74.08 in
FS	SS-0RH	CALCULATED FRAME SPACE RH SIDE : 78.15 in
A	M6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in
55	53-001	SQUARE END OF FRAME
55	50-001	FRONT CLOSING CROSSMEMBER
55	59-001	STANDARD WEIGHT ENGINE CROSSMEMBER
56	62-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
57	72-001	STANDARD REARMOST CROSSMEMBER
56	65 <b>-</b> 00 <b>1</b>	STANDARD SUSPENSION CROSSMEMBER
Chassis E	Equipment	
55	56-1E5	14 INCH PAINTED STEEL BUMPER
55	58-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME
57	74-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
58	85-998	NO MUDFLAP BRACKETS
59	90-998	NO REAR MUDFLAPS





	Data Code	Description
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE
	605-003	LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS LOADED TO FRONT AND REAR SUSPENSION RATINGS
	607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
Fifth W	heel	
	578-998	NO FIFTH WHEEL
Fuel Ta	inks	
	204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH
	218-005	RECTANGULAR FUEL TANK(S)
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
	212-007	FUEL TANK(S) FORWARD
	664-001	PLAIN STEP FINISH
	205-001	FUEL TANK CAP(S)
	122-998	NO FUEL/WATER SEPARATOR
	216-020	EQUIFLO INBOARD FUEL SYSTEM
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
Tires		
	093-0TB	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL FRONT TIRES
	094-2DE	MICHELIN X MULTI ENERGY D 11R22.5 14 PLY RADIAL REAR TIRES
Hubs		
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels		
	502-566	MAXION WHEELS 10035 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS





Data Code	Description
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
Cab Exterior	
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTING
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-004	FRONT FENDERS SET-BACK AXLE
754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS
678-001	LH AND RH GRAB HANDLES
646-041	STATIONARY BLACK GRILLE
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
690-002	TUNNEL/FIREWALL LINER
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK
726-001	SINGLE ELECTRIC HORN
728-001	SINGLE HORN SHIELD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS
302-047	LED AERODYNAMIC MARKER LIGHTS
311-998	NO DAYTIME RUNNING LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
74 <b>4-1</b> BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS M0UNTED UNDER PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS



Data Code	Description
654-011	RH AND LH ELECTRIC POWERED WINDOWS
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED
Cab Interior	
055-017	PROFESSIONAL TRIM PACKAGE
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"
70K-016	CARBON WITH BASE BLACK ACCENT
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET
691-001	FORWARD ROOF MOUNTED CONSOLE
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY
742-007	(2) CUP HOLDERS LH AND RH DASH
680-029	M2/SD DASH
720-003	5 LB. FIRE EXTINGUISHER
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-1B3	STANDARD LED CAB LIGHTING
787-998	NO SECURITY DEVICE
657-1AN	ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1004
78G-003	KEY QUANTITY OF 3



Data Code	Description
655-005	LH AND RH ELECTRIC DOOR LOCKS
740-998	NO MATTRESS
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER
763-101	BLACK SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS
Instruments & Cor	ntrols
106-002	ELECTRONIC ACCELERATOR CONTROL
732-998	NO INSTRUMENT PANEL-DRIVER
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
721-001	97 DB BACKUP ALARM
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY



Data Code	Description	
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY	
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	
844-001	2 INCH ELECTRIC FUEL GAUGE	
845-011	FUEL FILTER RESTRICTION INDICATOR	
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS	
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS	
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP	
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR	
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY	
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE	
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY	
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER	
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY	
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE	
736-998	NO OBSTACLE DETECTION SYSTEM	
72J-998	NO DR ASSIST SYSTEM	
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL	
73 <b>B-</b> 998	NO LANE DEPARTURE WARNING SYSTEM	
72K-998	NO REVERSE PROXIMITY SENSOR	
679-998	NO OVERHEAD INSTRUMENT PANEL	
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, MICROPHONE	
747-001	DASH MOUNTED RADIO	
750-002	(2) RADIO SPEAKERS IN CAB	



 Data Code	Description
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
749-998	NO CB RADIO MOUNTING PROVISION
75W-998	NO MULTIBAND ANTENNA
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-1C8	DETROIT CONNECT PLATFORM HARDWARE
8D1-213	3 YEARS DETROIT CONNECT BASE PACKAGE(FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM
8DE-998	NO ASE DATA SVCE EXTENSION
RDE-998	NO EXTENSIONS
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
329-121	FOUR EXTRA HARDWIRED SWITCHES IN DASH, INPUT POWER, NO OUTPUT WIRING
4C1-026	HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS BATTERY POWER
4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER
4C3-017	HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS BATTERY POWER
4C4-017	HARDWIRE SWITCH #4,ON/OFF LATCHING, 10 AMPS BATTERY POWER
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN
883-998	NO TRAILER HAND CONTROL BRAKE VALVE
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR



	Data Code	Description
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY
	87T-998	NO WRG/SW-OPTL #2,CHAS,AIR
Design		
	065-000	PAINT: ONE SOLID COLOR
Color		
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
	964-020	STANDARD BLACK BUMPER PAINT
	963-003	STANDARD E COAT/UNDERCOATING
Certifica	ation / Compli	iance
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

#### Extended Warranty

WAI-10V	EW4 DD13 VOC \$0 DEDUCTIBLE 5 YEARS/200,000 MILES/322,000 KM FEX APPLIES
WAG-074	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

FREIGHTLINER



Ledwell & Son Enterprises, Inc 3300 WACO STREET TEXARKANA, TX 75501 P: (903) 838-6531 F: (903) 831-2737 ext. 9000

## CUSTOMER

FREIGHTLINER OF AUSTIN

Jimmy Rubio 1701 SMITH ROAD AUSTIN, TX 78721 P: (800) 395-2005

## Quotation:

8/30/2024

PO Number:

Date:

SHIP TO

Doggett Freightliner of Austin

Dana Plumpe 1701 SMITH ROAD AUSTIN, TX 78721 P: (800) 395-2005

REQUISITIONER	SHIP VIA	F.O.B.	Estimated Lead Time
Dana Plumpe	TBD	FOB Texarkana, TX	
	Item Description	i i se	Qty
Doggett Austin	Stainless 4K on Customer Ti	ruck (Wiliamson County)	
LEDWELL - WATER 4	000 GALLON WT		1
Tank Product	Ledwell 4000 Gallon Stainless Steel T	ank; 200"L x 98"W x 75"⊤	
Construction	One Longitudinal and Three Transver	se Baffles	
Construction	Rear ladder		
Construction	All-welded subframe Rubber mount p	adding	
Construction	Hydrant-fill capability Top discharge h	nydrant-fill water drop	
Construction	Low point drain cocks		
Construction	Suction plumbed interior primer tank		
Construction	Reservoir interior blasted and coated	with Tank Liner	
Construction	Water level site tube front mount		
Keel	Full Length Keel with Piping and Mani	fold	
Fenders	Steel fenders with railing		
Hose Reel	Rear mounted hose reel with 50' - 1 1	/4" Jet spray hose w/ 1 1/2" nozzle	e
Pump	4" X 3" pump - PTO driven Suction ar	nd Front/Rear Plumbing	
Spray Head Configuration	Two (2) front spray heads (independer (independent functions) One (1) side (independent function) One (1) <sup>3</sup> / <sub>4</sub> " g	spray nozzle with 1 1/2" camlock	neads
Spray Heads	Standard spray heads		
Sparger Bar	12' Folding Sparger bar		
Bumper	Reinforced Push Bumper w/ Pintle Hit	ch	
Special Instruction	s: 12 ton pintle hitch		

Options	Water Level Tube Rear Mount
Options	3" Drafting Pipe w/ Camlock Connecting Dust Cover
Special Instructions:	w/2.5" male camlock
DOT Compliance	Back-up alarm
DOT Compliance	Mud flaps
DOT Compliance	Fire extinguisher
DOT Compliance	Triangle & reflector kit
DOT Compliance	Reflexite conspicuity tape
DOT Compliance	Wiring Harness
Decals	No Customer Decals
Body Paint	Painted One Color